

IKAROS

Ikaros is a cutting-edge continuous-row LED system that combines efficiency with a compact uninterrupted design. The three available optics (Wide, Wallwasher and Double-asymmetric) make it versatile and suitable for premises where diffuse lighting or vertical-surfaces illumination is requested (super markets, retail shops, storage corridors etc).

**Technical Features**


- Continuous led line system.
- Trunking from aluminium profile, painted electrostatically in selected colour.
- Gear tray from aluminium profile.
- Driver included.
- Led modules in high efficient or high output operation.
- High efficient PMMA optics in three different versions.
- Pre-wired gear trays for easy and fast installation.
- Pure light without IR/UV radiation.
- Efficient thermal management.
- Up to 63W/m and 8190 Lm luminous flux range.
- Operation life: 50,000 hours with efficiency > 70% of the initial luminous flux.
- Connection for operation on 230V/50Hz.

Upon request

- Connection for operation with electronic dimmable ballast and emergency function.

IKAROS


TRUNKING



CE	F		

- Aluminium profile.
- Suspension and power supply not included.

Code	Description	L	Kg
968200	Ikaros Trunking Special / m	1000	1,250
968201	Ikaros Trunking White / m	1000	1,250
968202	Ikaros Trunking Titan / m	1000	1,250
968203	Ikaros Trunking Black / m	1000	1,250







GEAR TRAY



CE	F	IP 20	

- Version for LED CHIP.
- Aluminium body.
- High efficient optics in PMMA.
- 3 Types of available optics: Standard / 90°, double asymmetric / 2AS, asymmetric / WW.
- Efficiency: 151 Lumen / Watt max.

LED	100% LED EFFICIENCY	ta 25°C	Included
-----	---------------------------	------------	----------



Asymmetric

High Efficiency Gear Tray				
Code	Description	L	Kg	
968101	Ikaros Gear Tray 10W Neutral Wide	570	1200	
968102	Ikaros Gear Tray 10W Neutral 2AS	570	1200	
968103	Ikaros Gear Tray 10W Neutral WW	570	1200	
968104	Ikaros Gear Tray 10W Warm Wide	570	1200	
968105	Ikaros Gear Tray 10W Warm 2AS	570	1200	
968106	Ikaros Gear Tray 10W Warm WW	570	1200	
968107	Ikaros Gear Tray 20W Neutral Wide	1131	2200	
968108	Ikaros Gear Tray 20W Neutral 2AS	1131	2200	
968109	Ikaros Gear Tray 20W Neutral WW	1131	2200	
968110	Ikaros Gear Tray 20W Warm Wide	1131	2200	
968111	Ikaros Gear Tray 20W Warm 2AS	1131	2200	
968112	Ikaros Gear Tray 20W Warm WW	1131	2200	
968113	Ikaros Gear Tray 30W Neutral Wide	1693	3,200	
968114	Ikaros Gear Tray 30W Neutral 2AS	1693	3,200	
968115	Ikaros Gear Tray 30W Neutral WW	1693	3,200	
968116	Ikaros Gear Tray 30W Warm Wide	1693	3,200	
968117	Ikaros Gear Tray 30W Warm 2AS	1693	3,200	
968118	Ikaros Gear Tray 30W Warm WW	1693	3,200	

High Output Gear Tray				
Code	Description	L	Kg	
968119	Ikaros Gear Tray 21W Neutral Wide	570	1200	
968120	Ikaros Gear Tray 21W Neutral 2AS	570	1200	
968121	Ikaros Gear Tray 21W Neutral WW	570	1200	
968122	Ikaros Gear Tray 21W Warm Wide	570	1200	
968123	Ikaros Gear Tray 21W Warm 2AS	570	1200	
968124	Ikaros Gear Tray 21W Warm WW	570	1200	
968125	Ikaros Gear Tray 42W Neutral Wide	1131	2200	
968126	Ikaros Gear Tray 42W Neutral 2AS	1131	2200	
968127	Ikaros Gear Tray 42W Neutral WW	1131	2200	
968128	Ikaros Gear Tray 42W Warm Wide	1131	2200	
968129	Ikaros Gear Tray 42W Warm 2AS	1131	2200	
968130	Ikaros Gear Tray 42W Warm WW	1131	2200	
968131	Ikaros Gear Tray 63W Neutral Wide	1693	3,200	
968132	Ikaros Gear Tray 63W Neutral 2AS	1693	3,200	
968133	Ikaros Gear Tray 63W Neutral WW	1693	3,200	
968134	Ikaros Gear Tray 63W Warm Wide	1693	3,200	
968135	Ikaros Gear Tray 63W Warm 2AS	1693	3,200	
968136	Ikaros Gear Tray 63W Warm WW	1693	3,200	




IKAROS ACCESSORIES

TRUNKING METAL COVER





- Aluminium profile.
- Blind metal cover.

Code	Description	L	Kg
968205	Ikaros Trunking Metal Cover Special/m	1000	0,350
968206	Ikaros Trunking Metal Cover White/m	1000	0,350
968207	Ikaros Trunking Metal Cover Titan/m	1000	0,350
968208	Ikaros Trunking Metal Cover Black/m	1000	0,350




TRUNKING ANGLE 90°




- Aluminium profile.
- Blind metal cover included.

Code	Description	L	Kg
968210	Ikaros Trunking Angle Special/m	1000	0,650
968211	Ikaros Trunking Angle White/m	1000	0,650
968212	Ikaros Trunking Angle Titan/m	1000	0,650
968213	Ikaros Trunking Angle Black/m	1000	0,650




TRUNKING +3Phase Track





- Aluminium profile.
- 3phase track included.

Code	Description	L	Kg
968230	Ikaros Trunking+3P Track Special/m	500	0,800
968231	Ikaros Trunking+3P Track White/m	500	0,800
968232	Ikaros Trunking+3P Track Titan/m	500	0,800
968233	Ikaros Trunking+3P Track Black/m	500	0,800
968234	Ikaros Trunking+3P Track Special/m	1000	1,600
968235	Ikaros Trunking+3P Track White/m	1000	1,600
968236	Ikaros Trunking+3P Track Titan/m	1000	1,600
968237	Ikaros Trunking+3P Track Black/m	1000	1,600
968238	Ikaros Trunking+3P Track Special/m	1500	2,300
968239	Ikaros Trunking+3P Track White/m	1500	2,300
968240	Ikaros Trunking+3P Track Titan/m	1500	2,300
968241	Ikaros Trunking+3P Track Black/m	1500	2,300
968242	Ikaros Trunking+3P Track Special/m	2000	3,100
968243	Ikaros Trunking+3P Track White/m	2000	3,100
968244	Ikaros Trunking+3P Track Titan/m	2000	3,100
968245	Ikaros Trunking+3P Track Black/m	2000	3,100



CABLE CONNECTIONS




- PTFE cable connenctions.
- 5pole for standard version and 7pole for dali or emergency versions.

Code	Description	L	Kg
968250	Cable connections 5x1,5mm ²	1000	0,200
968251	Cable connections 5x1,5mm ²	1500	0,280
968252	Cable connections 5x1,5mm ²	2000	0,380
968256	Cable connections 7x1,5mm ²	1000	0,230
968257	Cable connections 7x1,5mm ²	1500	0,300
968258	Cable connections 7x1,5mm ²	2000	0,440

IKAROS ACCESSORIES

SINGLE ADJUSTABLE SUSPENSION




CE

- Stainless steel cable and regulators.
- **Required:**
2 pieces for up to 3m profile.

Code	Description	L	Kg
900111	Single Suspension	500	0,050
900112	Single Suspension	1000	0,100
900113	Single Suspension	1500	0,150
900114	Single Suspension	2000	0,200
900116	Single Suspension	3000	0,300

POWER SUPPLY



CE

- For pendant use.
- Plastic body.
- With transparent cable 3x0,75mm².
- Round version.

Code	Description	L	Kg
900121	Power Supply with Rosette Ø75	500	0,060
900122	Power Supply with Rosette Ø75	1000	0,120
900123	Power Supply with Rosette Ø75	1500	0,180
900124	Power Supply with Rosette Ø75	2000	0,240
900126	Power Supply with Rosette Ø75	3000	0,360



POWER SUPPLY



CE



- For pendant use.
- Body from aluminium profile.
- With 2m transparent cable 3x0,75mm².
- Square or round version.

Code	Description	Kg
90042	Power Supply L 2m with Rosette Ø80	0,130
90043	Power Supply L 2m with Rosette Ø70	0,130
90044	Power Supply L 2m with Rosette 80x80	0,210
90045	Power Supply L 2m with Rosette 70x70	0,200



IKAROS ACCESSORIES


END CAP



- Plastic end cap.


Code	Description	Kg
968254	Plastic End Cap pair	0,050

TRUNKING CONNECTORS




- Aluminium trunking connectors.

Code	Description	Kg
968255	Trunking Metal Connectors pair	0,050



IKAROS



ORDER EXAMPLE

Suspension	Power Supply	Trunking	End Caps	Trunking Connectors	Gear Tray	Trunking Metal Cover	Cable Connections	Trunking + 3ph. Track
CODE	CODE	CODE	CODE	CODE	CODE	CODE	CODE	CODE
900112	900123	968201	968254	968255	968119	968206	968250	968231

