

SLOTLIGHT

This luminaire combines the architectural style with the efficiency. It produces perfect lighting conditions without annoying reflections and that is why it can be used from entrance areas to offices. Uniformly illuminated lines with no dark shadows can be created thanks to the Tetris technology of T16 lamps.

The LED version escapes the restrictions of the T16 lamp by using LED lighting points that can have any spacing pitch and this gives the light line enormous flexibility. The visual benefit: The continuous-row system is illuminated absolutely uniformly from beginning to end, is economically efficient, is maintenance-free and it has long service life.

Technical Features

- Housing from aluminium profile, painted electrostatically in selected colour.
- Removable plastic heads.
- High efficient diffuser in opal PMMA.
- Flow recuperator in white colour.

Upon request

- Connection for operation with electronic dimmable ballast.
- Available in IP54 protection version.

For LED Version


- Pure light without IR/UV radiation.
- Efficient thermal management.
- Up to 28W/m and 3864 Lm luminous flux range.
- Operation life: 50,000 hours with efficiency > 70% of the initial luminous flux.
- Connection for operation on 230V/50Hz.

Upon request:


- Available with highest colour rendering index (CRI)
- Available in IP54 protection version.

SLOTLIGHT

SLOTLIGHT



- Version for T16.
- Aluminium body.
- Removable plastic heads.
- High efficient diffuser in opal PMMA.
- Flow recuperator in white colour.
- Suspension brackets not included.



Code	Description	L	Kg
92001	Slotlight 1x13/14W T16	603	1,500
92003	Slotlight 1x20/24W T16	603	1,500
92005	Slotlight 1x19/21W T16	903	2,300
92007	Slotlight 1x34/39W T16	903	2,300
92009	Slotlight 1x25/28W T16	1203	3,050
92011	Slotlight 1x50/54W T16	1203	3,050
92013	Slotlight 1x32/35W T16	1503	3,300
92015	Slotlight 1x45/49W T16	1503	3,300
92017	Slotlight 1x73/80W T16	1503	3,300
92037	Slotlight 2x13/14W T16	603	1,650
92039	Slotlight 2x20/24W T16	603	1,650
92041	Slotlight 2x19/21W T16	903	3,000
92043	Slotlight 2x34/39W T16	903	3,000
92045	Slotlight 2x25/28W T16	1203	3,100
92047	Slotlight 2x50/54W T16	1203	3,100
92049	Slotlight 2x32/35W T16	1503	3,500
92051	Slotlight 2x45/49W T16	1503	3,500
92053	Slotlight 2x73/80W T16	1503	3,500
92019	Slotlight 1 + 1x13/14W T16	1068	2,610
92021	Slotlight 1 + 1x20/24W T16	1068	2,610
92023	Slotlight 1 + 1x19/21W T16	1668	3,890
92025	Slotlight 1 + 1x34/39W T16	1668	3,890
92027	Slotlight 1 + 1x25/28W T16	2268	4,600
92029	Slotlight 1 + 1x50/54W T16	2268	4,600
92031	Slotlight 1 + 1x32/35W T16	2868	6,460
92033	Slotlight 1 + 1x45/49W T16	2868	6,460
92035	Slotlight 1 + 1x73/80W T16	2868	6,460
92055	Slotlight 2 + 2x13/14W T16	1280	3,230
92057	Slotlight 2 + 2x20/24W T16	1280	3,230
92059	Slotlight 2 + 2x19/21W T16	1880	3,900
92061	Slotlight 2 + 2x34/39W T16	1880	3,900
92063	Slotlight 2 + 2x25/28W T16	2480	4,900
92065	Slotlight 2 + 2x50/54W T16	2480	4,900
92067	Slotlight 2 + 2x32/35W T16	3080	7,300
92069	Slotlight 2 + 2x45/49W T16	3080	7,300
92071	Slotlight 2 + 2x73/80W T16	3080	7,300

Hole		
1-2x13/14W - 20/24W T16	86 x	585
1-2x19/21W - 34/39W T16	86 x	885
1-2x25/28W - 50/54W T16	86 x	1185
1-2x32/35W - 45/49W T16	86 x	1485
1-2x73/80W T16	86 x	1485
1 + 1x13/14W - 20/24W T16	86 x	1050
1 + 1x19/21W - 34/39W T16	86 x	1650
1 + 1x25/28W - 50/54W T16	86 x	2250
1 + 1x32/35W - 45/49W T16	86 x	2850
1 + 1x73/80W T16	86 x	2850
2 + 2x13/14W - 20/24W T16	86 x	1262
2 + 2x19/21W - 34/39W T16	86 x	1862
2 + 2x25/28W - 50/54W T16	86 x	2462
2 + 2x32/35W - 45/49W T16	86 x	3062
2 + 2x73/80W T16	86 x	3062

CE IP 20
43

T16

OSRAM TS PHILIPS-T16

Included

Colour Codes:


0	Colours	1	White	2	Titan	3	Black	5	matt Alum.	9	Anodized
---	---------	---	-------	---	-------	---	-------	---	------------	---	----------

SLOTLIGHT

SLOTLIGHT LED



- Version for LED CHIP.
- Aluminium body.
- Removable plastic heads.
- High efficient diffuser in opal PMMA.
- Flow recuperator in white colour.
- Suspension brackets not included.
- Efficiency: max.138 Lumen / Watt.



Code	Description	L	Kg
92073	Slotlight Led 16W 2200 lm Neutral	620	1,550
92074	Slotlight Led 28W 3100 lm Neutral	1180	2,930
92075	Slotlight Led 33W 4400 lm Neutral	1180	2,930
92076	Slotlight Led 42W 4650 lm Neutral	1740	4,320
92077	Slotlight Led 49W 6600 lm Neutral	1740	4,320
92078	Slotlight Led 56W 6200 lm Neutral	2300	5,700
92079	Slotlight Led 65W 8800 lm Neutral	2300	5,700
92080	Slotlight Led 16W 2200 lm Warm	620	1,550
92082	Slotlight Led 33W 4400 lm Warm	1180	2,930
92084	Slotlight Led 49W 6600 lm Warm	1740	4,320
92086	Slotlight Led 65W 8800 lm Warm	2300	5,700

Hole	
16W	86 x 602
28W - 33W	86 x 1162
42W - 49W	86 x 1722
56W - 65W	86 x 2282

Colour Codes:

- 0 Colours
 1 White
 2 Titan
 3 Black
 5 matt Alum.
 9 Anodized









SLOTLIGHT

SLOTLIGHT ANAGLYPH



- Version for T16.
- Aluminium body.
- Removable plastic heads.
- Diffuser in opal of 10mm PMMA.
- Flow recuperator in white colour.
- Suspension and power supply not included.



Hole

1-2x13/14W - 20/24W T16	86 x 585
1-2x19/21W - 34/39W T16	86 x 885
1-2x25/28W - 50/54W T16	86 x 1185
1-2x32/35W - 45/49W T16	86 x 1485
1-2x73/80W T16	86 x 1485
1+1x13/14W - 20/24W T16	86 x 1050
1+1x19/21W - 34/39W T16	86 x 1650
1+1x25/28W - 50/54W T16	86 x 2250
1+1x32/35W - 45/49W T16	86 x 2850
1+1x73/80W T16	86 x 2850
2+2x13/14W - 20/24W T16	86 x 1262
2+2x19/21W - 34/39W T16	86 x 1862
2+2x25/28W - 50/54W T16	86 x 2462
2+2x32/35W - 45/49W T16	86 x 3062
2+2x73/80W T16	86 x 3062

CE	F	IP 20
EN		43
T16		
OSRAM: T5		
PHILIPS: T15		
	Included	


Code	Description	L	Kg
92401	Slotlight Anaglyph 1x13/14W T16	603	1,750
92403	Slotlight Anaglyph 1x20/24W T16	603	1,750
92405	Slotlight Anaglyph 1x19/21W T16	903	2,610
92407	Slotlight Anaglyph 1x34/39W T16	903	2,610
92409	Slotlight Anaglyph 1x25/28W T16	1203	3,480
92411	Slotlight Anaglyph 1x50/54W T16	1203	3,480
92413	Slotlight Anaglyph 1x32/35W T16	1503	4,350
92415	Slotlight Anaglyph 1x45/49W T16	1503	4,350
92417	Slotlight Anaglyph 1x73/80W T16	1503	4,350
92437	Slotlight Anaglyph 2x13/14W T16	603	1,750
92439	Slotlight Anaglyph 2x20/24W T16	603	1,750
92441	Slotlight Anaglyph 2x19/21W T16	903	2,610
92443	Slotlight Anaglyph 2x34/39W T16	903	2,610
92445	Slotlight Anaglyph 2x25/28W T16	1203	3,480
92447	Slotlight Anaglyph 2x50/54W T16	1203	3,480
92449	Slotlight Anaglyph 2x32/35W T16	1503	4,350
92451	Slotlight Anaglyph 2x45/49W T16	1503	4,350
92453	Slotlight Anaglyph 2x73/80W T16	1503	4,350
92419	Slotlight Anaglyph 1 + 1x13/14W T16	1068	3,090
92421	Slotlight Anaglyph 1 + 1x20/24W T16	1068	3,090
92423	Slotlight Anaglyph 1 + 1x19/21W T16	1668	4,820
92425	Slotlight Anaglyph 1 + 1x34/39W T16	1668	4,820
92427	Slotlight Anaglyph 1 + 1x25/28W T16	2268	6,560
92429	Slotlight Anaglyph 1 + 1x50/54W T16	2268	6,560
92431	Slotlight Anaglyph 1 + 1x32/35W T16	2868	8,290
92433	Slotlight Anaglyph 1 + 1x45/49W T16	2868	8,290
92435	Slotlight Anaglyph 1 + 1x73/80W T16	2868	8,290
92455	Slotlight Anaglyph 2+2x13/14W T16	1280	3,700
92457	Slotlight Anaglyph 2+2x20/24W T16	1280	3,700
92459	Slotlight Anaglyph 2+2x19/21W T16	1880	5,440
92461	Slotlight Anaglyph 2+2x34/39W T16	1880	5,440
92463	Slotlight Anaglyph 2+2x25/28W T16	2480	7,170
92465	Slotlight Anaglyph 2+2x50/54W T16	2480	7,170
92467	Slotlight Anaglyph 2+2x32/35W T16	3080	8,900
92469	Slotlight Anaglyph 2+2x45/49W T16	3080	8,900
92471	Slotlight Anaglyph 2+2x73/80W T16	3080	8,900

Colour Codes:

- 0 Colours 1 White 2 Titan 3 Black 5 matt Alum. 9 Anodized

SLOTLIGHT


SLOTLIGHT ANAGLYPH LED



CE	EF	IP 20	43
LED	ta 25°C	Included	

- Version for LED CHIP.
- Aluminium body.
- Removable plastic heads.
- Diffuser in opal of 10mm PMMA.
- Flow recuperator in white colour.
- Suspension brackets not included.
- Efficiency: max.138 Lumen / Watt.

Code	Description	L	Kg
92473	Slotlight An.Led 16W 2200 lm Neutral	620	1,790
92474	Slotlight An.Led 28W 3100 lm Neutral	1180	3,410
92475	Slotlight An.Led 33W 4400 lm Neutral	1180	3,410
92476	Slotlight An.Led 42W 4650 lm Neutral	1740	5,030
92477	Slotlight An.Led 49W 6600 lm Neutral	1740	5,030
92478	Slotlight An.Led 56W 6200 lm Neutral	2300	6,650
92479	Slotlight An.Led 65W 8800 lm Neutral	2300	6,650
92480	Slotlight An.Led 16W 2200 lm Warm	620	1,790
92482	Slotlight An.Led 33W 4400 lm Warm	1180	3,410
92484	Slotlight An.Led 49W 6600 lm Warm	1740	5,030
92486	Slotlight An.Led 65W 8800 lm Warm	2300	6,650



Hole

16W	86 x 602
28W - 33W	86 x 1162
42W - 49W	86 x 1722
56W - 65W	86 x 2282

Colour Codes:

- 0 Colours 1 White 2 Titan 3 Black 5 matt Alum. 9 Anodized


SLOTLIGHT WW



CE	EF	IP 20	
T16	OSRAM T5 PHILIPS T5S	Included	

- Version for T16.
- Aluminium body.
- Removable plastic heads.
- Flow recuperator wall washer in semi-glossy anodized aluminium.
- Suspension brackets not included.

Code	Description	L	Kg
92203	Slotlight WW 1x20/24W T16	596	1,150
92207	Slotlight WW 1x34/39W T16	896	1,720
92211	Slotlight WW 1x50/54W T16	1196	2,300
92217	Slotlight WW 1x73/80W T16	1496	2,880




Hole

1x20/24W T16	110 x 586
1x34/39W T16	110 x 886
1x50/54W T16	110 x 1186
1x73/80W T16	110 x 1486

Colour Codes:

- 0 Colours 1 White 2 Titan 3 Black


SLOTLIGHT LOUVRE



CE	EF	IP 20	
T16	OSRAM T5 PHILIPS T5S	Included	

- Version for T16.
- Aluminium body.
- Removable plastic heads.
- Parabolic reflector in specular anodized aluminium.
- Suspension brackets not included.

Code	Description	L	Kg
92103	Slotlight Louvre 1x20/24W T16	618	1,160
92107	Slotlight Louvre 1x34/39W T16	918	1,740
92111	Slotlight Louvre 1x50/54W T16	1218	2,310
92115	Slotlight Louvre 1x45/49W T16	1518	2,890
92117	Slotlight Louvre 1x73/80W T16	1518	2,890
92125	Slotlight Louvre 1+1x34/39W T16	1797	2,430
92129	Slotlight Louvre 1+1x50/54W T16	2397	4,580
92133	Slotlight Louvre 1+1x45/49W T16	2997	5,730
92135	Slotlight Louvre 1+1x73/80W T16	2997	5,730



Hole

1x20/24W T16	86 x 600
1x34/39W T16	86 x 900
1x50/54W T16	86 x 1200
1x45/49W - 73/80W T16	86 x 1500
1+1x34/39W T16	86 x 1779
1+1x50/54W T16	86 x 2379
1+1x45/49W - 73/80W T16	86 x 2979

Colour Codes:

- 0 Colours 1 White 2 Titan 3 Black 5 matt Alum. 9 Anodized





L'ORÉAL
PROFESSIONNEL




Συμβουλευτείτε τον κομμωτή σας
για τις ανάγκες των μαλλιών σας

PARIS - PARIS - PARIS - PARIS - PARIS



SLOTLIGHT


SLOTLIGHT + Module 50 G5.3




CE	F	IP 20
25°	350°	
OMM: NECESSARIO PHILIPS MASTERLINE		
		12V

- Simple version for incandescent halogen max.50W 12V (QR-CBC 51).

Code	Description	L	Kg
92304	Slotlight Module 50 1x max.50W/G5,3	300	1,570
92305	Slotlight Module 50 2x max.50W/G5,3	450	2,360




SLOTLIGHT + Module 50 GU10




CE	F	IP 20
30°	350°	
PAR 16	LED	FLUO

- Simple version for incandescent halogen max.50W 230V (PAR16).

Code	Description	L	Kg
92301	Slotlight Module 50 1x max.50W/GU10	170	0,900
92302	Slotlight Module 50 2x max.50W/GU10	250	1,300




SLOTLIGHT + Module 50 IRA 2 Reflector




CE	F	IP 20
25°	350°	
LED	350mA	ta 25°C

- Reflectors: Medium, Wide.
 - 7W power consumption driven at 350mA.
 - Efficiency:
 4000 K: 770 Lumen, CRI: min. 80
 3000 K: 730 Lumen, CRI: min. 80
 Maximum: 110 Lm/W

Code	Description	L	Kg
92307	Slotlight Module 50 1x IRA 2 7W Reflector	300	1,570
92308	Slotlight Module 50 2x IRA 2 7W Reflector	450	2,360




SLOTLIGHT + Module 50 DIMITRA 2 Reflector HO




CE	F	IP 40
25°	350°	
LED	500mA	ta 25°C

- Reflectors: Spot, Medium, Wide.
 - 5W power consumption driven at 500mA.
 - Efficiency:
 5W: 4000 K: 510 Lumen, CRI: min. 80
 5W: 3000 K: 485 Lumen, CRI: min. 80
 Maximum: 102 Lm/W

Code	Description	L	Kg
92309	Slotlight Module 50 1x DIMITRA 2 5W Ref.HO	300	1,570
92310	Slotlight Module 50 2x DIMITRA 2 5W Ref.HO	450	2,360




SLOTLIGHT + Module 50 ARTEMIS 2 Diffuser Prismatic



CE	F	IP 40
25°	350°	
D	LED	350/500mA
		ta 25°C

- Beam: Diffuser.
 - 5W power consumption driven at 500mA.
 - 7W power consumption driven at 350mA.
 - Efficiency:
 5W: 4000 K: 510 Lumen, CRI: min. 80
 5W: 3000 K: 485 Lumen, CRI: min. 80
 7W: 4000 K: 770 Lumen, CRI: min. 80
 7W: 3000 K: 730 Lumen, CRI: min. 80
 Maximum: 110 Lm/W

Code	Description	L	Kg
92311	Slotlight Module 50 1x ARTEMIS 2 5W Diffuser Prism.	300	1,570
92312	Slotlight Module 50 2x ARTEMIS 2 5W Diffuser Prism.	450	2,360
92313	Slotlight Module 50 1x ARTEMIS 2 7W Diffuser Prism.	300	1,570
92314	Slotlight Module 50 2x ARTEMIS 2 7W Diffuser Prism.	450	2,360




PROFILES

RECESSED


SLOTLIGHT

SLOTLIGHT + Module 50 ATHINA 2 Diffuser Opal




CE	F	IP 40
20°	350°	
D		
LED	350/500mA	ta 25°C

- Beam: Diffuser.
- 5W power consumption driven at 500mA.
- 7W power consumption driven at 350mA.
- Efficiency:
- 5W: 4000 K: 510 Lumen, CRI: min. 80
- 5W: 3000 K: 485 Lumen, CRI: min. 80
- 7W: 4000 K: 770 Lumen, CRI: min. 80
- 7W: 3000 K: 730 Lumen, CRI: min. 80
- Maximum: 110 Lm/W




Code	Description	L	Kg
92315 00	Slotlight Module 50 1x ATHINA 2 5W Diffuser Opal	300	1,570
92316 00	Slotlight Module 50 2x ATHINA 2 5W Diffuser Opal	450	2,360
92317 00	Slotlight Module 50 1x ATHINA 2 7W Diffuser Opal	300	1,570
92318 00	Slotlight Module 50 2x ATHINA 2 7W Diffuser Opal	450	2,360

SLOTLIGHT + Module 50 VENUS 2 Lens




CE	F	IP 40
25°	350°	
LED	350/700mA	ta 25°C

- Lens: Spot, Medium, Wide.
- 3W power consumption driven at 350mA.
- 6W power consumption driven at 700mA.
- Efficiency:
- 3W: 4000 K: 321 Lumen, CRI: min. 75
- 3W: 3000 K: 300 Lumen, CRI: min. 80
- 6W: 4000 K: 600 Lumen, CRI: min. 75
- 6W: 3000 K: 570 Lumen, CRI: min. 80
- Maximum: 107 Lm/W



Code	Description	L	Kg
92319	Slotlight Module 50 1x VENUS 2 3W/6W Lens	300	1,570
92320	Slotlight Module 50 2x VENUS 2 3W/6W Lens	450	2,360



SLOTLIGHT + Module 30



CE	F	IP 20
0°	0°	
LED	Included	ta 25°C


- Version for LED CHIP.
- Aluminium body.
- Lens in Spot, Medium, Wide or spot reflector selection.

Code	Description	L	Kg
92321	Slotlight Module 30 1x2W Lens	240	1,260
92322	Slotlight Module 30 2x2W Lens	320	1,680
92323	Slotlight Module 30 3x2W Lens	400	2,100
92324 01	Slotlight Module 30 1x2W Reflector	240	1,260
92325 01	Slotlight Module 30 2x2W Reflector	320	1,680
92326 01	Slotlight Module 30 3x2W Reflector	400	2,100



LED COLOUR CODES:	BEAM CODES:	Colour Codes:
2 Warm 3 Neutral	01 spot 02 medium 03 wide	0 Colours 1 White 2 Titan 3 Black 5 matt Alum. 9 Anodized

SLOTLIGHT ACCESSORIES



CE		
----	--	--

- Metal suspension bracket.
- Required 1pc per 1m profile length.

Code	Description	Kg
900210	Suspension Bracket Slotlight / Slotlight Louvre	0,270
900220	Suspension Bracket Slotlight WW	0,270



