

SLOTLIGHT TRIMLESS

The trimless version of SLOTLIGHT, with the diffuser position deeper from the ceiling level, gives the impression of an almost immaterial luminaire fully integrated to the ceiling. This architectural advantage, in combination with the perfect lighting conditions without annoying reflections, make the Trimless Slotlight suitable for many different working areas (offices, houses, entrance areas etc).

Uniformly illuminated lines with no dark shadows can be created thanks to the "tetris" installation of the T16 fluorescent lamps.

The LED version escapes the restrictions of the T16 fluorescent lamps, by using LED lighting points that can have any spacing pitch, and this gives the light line enormous flexibility. The visual benefit: The continuous-row system is illuminated absolutely uniformly from beginning to end, is economically efficient, maintenance free and it has long service-life.

Technical Features

- Housing from aluminium profile, painted electrostatically in selected colour.
- High efficient diffuser in opal PMMA.
- Flow recuperator in white colour.

Upon request

- Connection for operation with electronic dimmable ballast.

Upon request:

Available with highest colour rendering index (CRI)

For LED Version

- Pure light without IR/UV radiation.
- Efficient thermal management.
- Up to 28W/m and 3864 Lm luminous flux range.
- Operation life: 50,000 hours with efficiency > 70% of the initial luminous flux.
- Connection for operation on 230V/50Hz.

SLOTLIGHT TRIMLESS

SLOTLIGHT TRIMLESS



CE F IP 20 43

T16 SEAMLESS

OSRAM T5 PHILIPS T5 OSRAM SEAMLESS

Included

- Version for T16.
- Aluminium body.
- High efficient diffuser in opal PMMA.
- Flow recuperator in white colour.
- Suspension brackets not included.

| Code | Description | L | Kg |
|-------|-------------------------------------|------|-------|
| 92501 | Slotlight Trimless 1x13/14W T16 | 610 | 1,300 |
| 92503 | Slotlight Trimless 1x20/24W T16 | 610 | 1,300 |
| 92505 | Slotlight Trimless 1x19/21W T16 | 910 | 1,940 |
| 92507 | Slotlight Trimless 1x34/39W T16 | 910 | 1,940 |
| 92509 | Slotlight Trimless 1x25/28W T16 | 1210 | 2,580 |
| 92511 | Slotlight Trimless 1x50/54W T16 | 1210 | 2,580 |
| 92513 | Slotlight Trimless 1x32/35W T16 | 1510 | 3,220 |
| 92515 | Slotlight Trimless 1x45/49W T16 | 1510 | 3,220 |
| 92517 | Slotlight Trimless 1x73/80W T16 | 1510 | 3,220 |
| 92537 | Slotlight Trimless 2x13/14W T16 | 610 | 1,300 |
| 92539 | Slotlight Trimless 2x20/24W T16 | 610 | 1,300 |
| 92541 | Slotlight Trimless 2x19/21W T16 | 910 | 1,940 |
| 92543 | Slotlight Trimless 2x34/39W T16 | 910 | 1,940 |
| 92545 | Slotlight Trimless 2x25/28W T16 | 1210 | 2,580 |
| 92547 | Slotlight Trimless 2x50/54W T16 | 1210 | 2,580 |
| 92549 | Slotlight Trimless 2x32/35W T16 | 1510 | 3,220 |
| 92551 | Slotlight Trimless 2x45/49W T16 | 1510 | 3,220 |
| 92553 | Slotlight Trimless 2x73/80W T16 | 1510 | 3,220 |
| 92523 | Slotlight Trimless 1 + 1x19/21W T16 | 1675 | 3,570 |
| 92525 | Slotlight Trimless 1 + 1x34/39W T16 | 1675 | 3,570 |
| 92527 | Slotlight Trimless 1 + 1x25/28W T16 | 2275 | 4,850 |
| 92529 | Slotlight Trimless 1 + 1x50/54W T16 | 2275 | 4,850 |
| 92531 | Slotlight Trimless 1 + 1x32/35W T16 | 2875 | 6,130 |
| 92533 | Slotlight Trimless 1 + 1x45/49W T16 | 2875 | 6,130 |
| 92535 | Slotlight Trimless 1 + 1x73/80W T16 | 2875 | 6,130 |
| 92559 | Slotlight Trimless 2 + 2x19/21W T16 | 1885 | 4,020 |
| 92561 | Slotlight Trimless 2 + 2x34/39W T16 | 1885 | 4,020 |
| 92563 | Slotlight Trimless 2 + 2x25/28W T16 | 2485 | 5,300 |
| 92565 | Slotlight Trimless 2 + 2x50/54W T16 | 2485 | 5,300 |
| 92567 | Slotlight Trimless 2 + 2x32/35W T16 | 3085 | 6,580 |
| 92569 | Slotlight Trimless 2 + 2x45/49W T16 | 3085 | 6,580 |
| 92571 | Slotlight Trimless 2 + 2x73/80W T16 | 3085 | 6,580 |

Hole

| | |
|-------------------------|------------|
| 1-2x13/14W - 20/24W T16 | 108 x 616 |
| 1-2x19/21W - 34/39W T16 | 108 x 916 |
| 1-2x25/28W - 50/54W T16 | 108 x 1216 |
| 1-2x32/35W - 45/49W T16 | 108 x 1516 |
| 1-2x73/80W T16 | 108 x 1516 |
| 1+1x19/21W - 34/39W T16 | 108 x 1681 |
| 1+1x25/28W - 50/54W T16 | 108 x 2281 |
| 1+1x32/35W - 45/49W T16 | 108 x 2881 |
| 1+1x73/80W T16 | 108 x 2881 |
| 2+2x19/21W - 34/39W T16 | 108 x 1891 |
| 2+2x25/28W - 50/54W T16 | 108 x 2491 |
| 2+2x32/35W - 45/49W T16 | 108 x 3091 |
| 2+2x73/80W T16 | 108 x 3091 |

SLOTLIGHT TRIMLESS LED



CE F IP 20 43

LED

ta 25°C

Included

- Version for LED CHIP.
- Aluminium body.
- High efficient diffuser in opal PMMA.
- Flow recuperator in white colour.
- Suspension brackets not included.
- Efficiency: max.138 Lumen / Watt.

| Code | Description | L | Kg |
|-------|--|------|-------|
| 92573 | Slotlight Trimless Led 16W 2200 lm Neutral | 620 | 1,320 |
| 92574 | Slotlight Trimless Led 28W 3100 lm Neutral | 1180 | 2,520 |
| 92575 | Slotlight Trimless Led 33W 4400 lm Neutral | 1180 | 2,520 |
| 92576 | Slotlight Trimless Led 42W 4650 lm Neutral | 1740 | 3,700 |
| 92577 | Slotlight Trimless Led 49W 6600 lm Neutral | 1740 | 3,700 |
| 92578 | Slotlight Trimless Led 56W 6200 lm Neutral | 2300 | 4,900 |
| 92579 | Slotlight Trimless Led 65W 8800 lm Neutral | 2300 | 4,900 |
| 92580 | Slotlight Trimless Led 16W 2200 lm Warm | 620 | 1,320 |
| 92582 | Slotlight Trimless Led 33W 4400 lm Warm | 1180 | 2,520 |
| 92584 | Slotlight Trimless Led 49W 6600 lm Warm | 1740 | 3,700 |
| 92586 | Slotlight Trimless Led 65W 8800 lm Warm | 2300 | 4,900 |

Hole

| | |
|-----------|------------|
| 16W | 108 x 626 |
| 28W - 33W | 108 x 1186 |
| 42W - 49W | 108 x 1746 |
| 56W - 65W | 108 x 2306 |

Colour Codes:

- 0 Colours 1 White 2 Titan 3 Black

SLOTLIGHT TRIMLESS

SLOTLIGHT TRIMLESS ANAGLYPH



CE F IP 43

T16

OSRAM T6 PHILIPS T16

Included

- Version for T16.
- Aluminium body.
- Diffuser in opal of 10mm PMMA.
- Flow recuperator in white colour.
- Suspension brackets not included.

| Code | Description | L | Kg |
|-------|--|------|--------|
| 92601 | Slotlight Trimless Anaglyph 1x13/14W T16 | 610 | 2,100 |
| 92603 | Slotlight Trimless Anaglyph 1x20/24W T16 | 610 | 2,100 |
| 92605 | Slotlight Trimless Anaglyph 1x19/21W T16 | 910 | 3,130 |
| 92607 | Slotlight Trimless Anaglyph 1x34/39W T16 | 910 | 3,130 |
| 92609 | Slotlight Trimless Anaglyph 1x25/28W T16 | 1210 | 4,170 |
| 92611 | Slotlight Trimless Anaglyph 1x50/54W T16 | 1210 | 4,170 |
| 92613 | Slotlight Trimless Anaglyph 1x32/35W T16 | 1510 | 5,200 |
| 92615 | Slotlight Trimless Anaglyph 1x45/49W T16 | 1510 | 5,200 |
| 92617 | Slotlight Trimless Anaglyph 1x73/80W T16 | 1510 | 5,200 |
| 92637 | Slotlight Trimless Anaglyph 2x13/14W T16 | 610 | 2,100 |
| 92639 | Slotlight Trimless Anaglyph 2x20/24W T16 | 610 | 2,100 |
| 92641 | Slotlight Trimless Anaglyph 2x19/21W T16 | 910 | 3,130 |
| 92643 | Slotlight Trimless Anaglyph 2x34/39W T16 | 910 | 3,130 |
| 92645 | Slotlight Trimless Anaglyph 2x25/28W T16 | 1210 | 4,170 |
| 92647 | Slotlight Trimless Anaglyph 2x50/54W T16 | 1210 | 4,170 |
| 92649 | Slotlight Trimless Anaglyph 2x32/35W T16 | 1510 | 5,200 |
| 92651 | Slotlight Trimless Anaglyph 2x45/49W T16 | 1510 | 5,200 |
| 92653 | Slotlight Trimless Anaglyph 2x73/80W T16 | 1510 | 5,200 |
| 92623 | Slotlight Trimless Anaglyph 1 + 1x19/21W T16 | 1675 | 5,770 |
| 92625 | Slotlight Trimless Anaglyph 1 + 1x34/39W T16 | 1675 | 5,770 |
| 92627 | Slotlight Trimless Anaglyph 1 + 1x25/28W T16 | 2275 | 7,830 |
| 92629 | Slotlight Trimless Anaglyph 1 + 1x50/54W T16 | 2275 | 7,830 |
| 92631 | Slotlight Trimless Anaglyph 1 + 1x32/35W T16 | 2875 | 9,890 |
| 92633 | Slotlight Trimless Anaglyph 1 + 1x45/49W T16 | 2875 | 9,890 |
| 92635 | Slotlight Trimless Anaglyph 1 + 1x73/80W T16 | 2875 | 9,890 |
| 92659 | Slotlight Trimless Anaglyph 2 + 2x19/21W T16 | 1885 | 6,490 |
| 92661 | Slotlight Trimless Anaglyph 2 + 2x34/39W T16 | 1885 | 6,490 |
| 92663 | Slotlight Trimless Anaglyph 2 + 2x25/28W T16 | 2485 | 8,550 |
| 92665 | Slotlight Trimless Anaglyph 2 + 2x50/54W T16 | 2485 | 8,550 |
| 92667 | Slotlight Trimless Anaglyph 2 + 2x32/35W T16 | 3085 | 10,620 |
| 92669 | Slotlight Trimless Anaglyph 2 + 2x45/49W T16 | 3085 | 10,620 |
| 92671 | Slotlight Trimless Anaglyph 2 + 2x73/80W T16 | 3085 | 10,620 |

Hole

| | |
|-------------------------|------------|
| 1-2x13/14W - 20/24W T16 | 108 x 616 |
| 1-2x19/21W - 34/39W T16 | 108 x 916 |
| 1-2x25/28W - 50/54W T16 | 108 x 1216 |
| 1-2x32/35W - 45/49W T16 | 108 x 1516 |
| 1-2x73/80W T16 | 108 x 1516 |
| 1+1x19/21W - 34/39W T16 | 108 x 1681 |
| 1+1x25/28W - 50/54W T16 | 108 x 2281 |
| 1+1x32/35W - 45/49W T16 | 108 x 2881 |
| 1+1x73/80W T16 | 108 x 2881 |
| 2+2x19/21W - 34/39W T16 | 108 x 1891 |
| 2+2x25/28W - 50/54W T16 | 108 x 2491 |
| 2+2x32/35W - 45/49W T16 | 108 x 3091 |
| 2+2x73/80W T16 | 108 x 3091 |

SLOTLIGHT TRIMLESS ANAGLYPH LED



CE F IP 20 43

LED

ta 25°C

Included

- Version for LED CHIP.
- Aluminium body.
- Diffuser in opal of 10mm PMMA.
- Flow recuperator in white colour.
- Suspension brackets not included.
- Efficiency: max.138 Lumen / Watt.

| Code | Description | L | Kg |
|-------|---|------|-------|
| 92673 | Slotlight Trimless Anaglyph Led 16W 2200 lm Neutral | 620 | 2,140 |
| 92674 | Slotlight Trimless Anaglyph Led 28W 3100 lm Neutral | 1180 | 4,060 |
| 92675 | Slotlight Trimless Anaglyph Led 33W 4400 lm Neutral | 1180 | 4,060 |
| 92676 | Slotlight Trimless Anaglyph Led 42W 4650 lm Neutral | 1740 | 5,990 |
| 92677 | Slotlight Trimless Anaglyph Led 49W 6600 lm Neutral | 1740 | 5,990 |
| 92678 | Slotlight Trimless Anaglyph Led 56W 6200 lm Neutral | 2300 | 7,920 |
| 92679 | Slotlight Trimless Anaglyph Led 65W 8800 lm Neutral | 2300 | 7,920 |
| 92680 | Slotlight Trimless Anaglyph Led 16W 2200 lm Warm | 620 | 2,140 |
| 92682 | Slotlight Trimless Anaglyph Led 33W 4400 lm Warm | 1180 | 4,060 |
| 92684 | Slotlight Trimless Anaglyph Led 49W 6600 lm Warm | 1740 | 5,990 |
| 92686 | Slotlight Trimless Anaglyph Led 65W 8800 lm Warm | 2300 | 7,920 |

Hole

| | |
|-----------|------------|
| 16W | 108 x 626 |
| 28W - 33W | 108 x 1186 |
| 42W - 49W | 108 x 1746 |
| 56W - 65W | 108 x 2306 |




Colour Codes:


- 0 Colours 1 White 2 Titan 3 Black


SLOTLIGHT TRIMLESS

SLOTLIGHT TRIMLESS LOUVRE









OSRAM: T5
PHILIPS: T15



- Version for T16.
- Aluminium body.
- Parabolic reflector in specular anodized aluminium.
- Suspension brackets not included.

| Code | Description | L | Kg |
|-------|--|------|-------|
| 94303 | Slotlight Trimless Louvre 1x20/24W T16 | 610 | 1,300 |
| 94307 | Slotlight Trimless Louvre 1x34/39W T16 | 910 | 1,940 |
| 94311 | Slotlight Trimless Louvre 1x50/54W T16 | 1210 | 2,580 |
| 94315 | Slotlight Trimless Louvre 1x45/49W T16 | 1510 | 3,220 |
| 94317 | Slotlight Trimless Louvre 1x73/80W T16 | 1510 | 3,220 |
| 94325 | Slotlight Trimless Louvre 1+1x34/39W T16 | 1786 | 3,800 |
| 94329 | Slotlight Trimless Louvre 1+1x50/54W T16 | 2386 | 5,090 |
| 94333 | Slotlight Trimless Louvre 1+1x45/49W T16 | 2986 | 6,360 |
| 94335 | Slotlight Trimless Louvre 1+1x73/80W T16 | 2986 | 6,360 |



Colour Codes:

- 0 Colours
 1 White
 2 Titan
 3 Black



SLOTLIGHT TRIMLESS


SLOTLIGHT TRIMLESS + Module 50 G5.3




| | | | |
|-----|------|-------|-------|
| CE | F | 850°C | IP 20 |
| 25° | 350° | | |
| 12V | | | |

- Simple version for incandescent halogen max.50W 12V (QR-CBC 51).

| Code | Description | L | Kg |
|-------|--|-----|-------|
| 95204 | Slotlight Trimless Module 50 1x max.50W/G5,3 | 300 | 1,570 |
| 95205 | Slotlight Trimless Module 50 2x max.50W/G5,3 | 450 | 2,360 |




SLOTLIGHT TRIMLESS + Module 50 GU10



| | | | |
|--------|------|-------|-------|
| CE | F | 850°C | IP 20 |
| 30° | 350° | | |
| PAR 16 | LED | FLUO | |

- Simple version for incandescent halogen max.50W 230V (PAR16).

| Code | Description | L | Kg |
|-------|--|-----|-------|
| 95201 | Slotlight Trimless Module 50 1x max.50W/GU10 | 170 | 0,890 |
| 95202 | Slotlight Trimless Module 50 2x max.50W/GU10 | 250 | 1,300 |




SLOTLIGHT TRIMLESS + Module 50 IRA 2 Reflector



| | | | |
|-----|------|---------|-------|
| CE | F | 850°C | IP 20 |
| 25° | 350° | | |
| LED | 5 | ta 25°C | 350mA |

- Reflectors: Medium, Wide.
 - 7W power consumption driven at 350mA.
 - Efficiency:
 4000 K: 825 Lumen, CRI: min. 80
 3000 K: 720 Lumen, CRI: min. 80
 Maximum: 118 Lm/W

| Code | Description | L | Kg |
|-------|--|-----|-------|
| 95207 | Slotlight Trimless Module 50 1x IRA 2 7W Reflector | 300 | 1,570 |
| 95208 | Slotlight Trimless Module 50 2x IRA 2 7W Reflector | 450 | 2,360 |




SLOTLIGHT TRIMLESS + Module 50 DIMITRA 2 Reflector HO



| | | | |
|-----|------|---------|-------|
| CE | F | 850°C | IP 40 |
| 25° | 350° | | |
| LED | 5 | ta 25°C | 500mA |

- Reflectors: Spot, Medium, Wide.
 - 5W power consumption driven at 500mA.
 - Efficiency:
 5W: 4000 K: 419 Lumen, CRI: min. 80
 5W: 3000 K: 419 Lumen, CRI: min. 80
 Maximum: 84 Lm/W

| Code | Description | L | Kg |
|-------|---|-----|-------|
| 95209 | Slotlight Trimless Module 50 1x DIMITRA 2 5W Ref.HO | 300 | 1,570 |
| 95210 | Slotlight Trimless Module 50 2x DIMITRA 2 5W Ref.HO | 450 | 2,360 |




SLOTLIGHT TRIMLESS + Module 50 ARTEMIS 2 Diffuser Prismatic



| | | | |
|-----|------|-------|---------|
| CE | F | 850°C | IP 40 |
| 25° | 350° | | |
| D | LED | 5 | ta 25°C |

- Beam: Diffuser.
 - 5W power consumption driven at 500mA.
 - 7W power consumption driven at 350mA.
 - Efficiency:
 5W: 4000 K: 419 Lumen, CRI: min. 80
 5W: 3000 K: 419 Lumen, CRI: min. 80
 7W: 4000 K: 825 Lumen, CRI: min. 80
 7W: 3000 K: 720 Lumen, CRI: min. 80
 Maximum: 118 Lm/W

| Code | Description | L | Kg |
|-------|--|-----|-------|
| 95211 | Slotlight Trimless Module 50 1x ARTEMIS 2 5W Diffuser Prism. | 300 | 1,570 |
| 95212 | Slotlight Trimless Module 50 2x ARTEMIS 2 5W Diffuser Prism. | 450 | 2,360 |
| 95213 | Slotlight Trimless Module 50 1x ARTEMIS 2 7W Diffuser Prism. | 300 | 1,570 |
| 95214 | Slotlight Trimless Module 50 2x ARTEMIS 2 7W Diffuser Prism. | 450 | 2,360 |



SLOTLIGHT TRIMLESS


SLOTLIGHT TRIMLESS + Module 50 ATHINA 2 Diffuser Opal



| | | | |
|-----|------|---------|-----------|
| CE | F | 850°C | IP 40 |
| 20° | 350° | | |
| D | | | |
| LED | 5 | ta 25°C | 350/500mA |

- Beam: Diffuser.
- 5W power consumption driven at 500mA.
- 7W power consumption driven at 350mA.
- Efficiency:
- 5W: 4000 K: 419 Lumen, CRI: min. 80
- 5W: 3000 K: 419 Lumen, CRI: min. 80
- 7W: 4000 K: 825 Lumen, CRI: min. 80
- 7W: 3000 K: 720 Lumen, CRI: min. 80
- Maximum: 118 Lm/W

| Code | Description | L | Kg |
|-------|---|-----|-------|
| 95215 | Slotlight Trimless Module 50 1x ATHINA 2 5W Diffuser Opal | 300 | 1,570 |
| 95216 | Slotlight Trimless Module 50 2x ATHINA 2 5W Diffuser Opal | 450 | 2,360 |
| 95217 | Slotlight Trimless Module 50 1x ATHINA 2 7W Diffuser Opal | 300 | 1,570 |
| 95218 | Slotlight Trimless Module 50 2x ATHINA 2 7W Diffuser Opal | 450 | 2,360 |




SLOTLIGHT TRIMLESS + Module 50 VENUS 2 Lens



| | | | |
|-----|------|---------|-----------|
| CE | F | 850°C | IP 40 |
| 25° | 350° | | |
| | | | |
| LED | 5 | ta 25°C | 350/700mA |

- Lens: Spot, Medium, Wide.
- 3W power consumption driven at 350mA.
- 6W power consumption driven at 700mA.
- Efficiency:
- 3W: 4000 K: 321 Lumen, CRI: min. 75
- 3W: 3000 K: 300 Lumen, CRI: min. 80
- 6W: 4000 K: 600 Lumen, CRI: min. 75
- 6W: 3000 K: 570 Lumen, CRI: min. 80
- Maximum: 107 Lm/W

| Code | Description | L | Kg |
|-------|--|-----|-------|
| 95219 | Slotlight Trimless Module 50 1x VENUS 2 3W/6W Lens | 300 | 1,570 |
| 95220 | Slotlight Trimless Module 50 2x VENUS 2 3W/6W Lens | 450 | 2,360 |





SLOTLIGHT TRIMLESS + Module 30



| | | | |
|-----|----|---------|----------|
| CE | F | | IP 20 |
| 0° | 0° | | |
| | | | |
| LED | 5 | ta 25°C | Included |

- Version for LED CHIP.
- Aluminium body.
- Lens in Spot, Medium, Wide or spot reflector selection.

| Code | Description | L | Kg |
|-------|---|-----|-------|
| 95221 | Slotlight Trimless Module 30 1x2W Lens | 240 | 1,260 |
| 95222 | Slotlight Trimless Module 30 2x2W Lens | 320 | 1,680 |
| 95223 | Slotlight Trimless Module 30 3x2W Lens | 400 | 2,100 |
| 95224 | Slotlight Trimless Module 30 1x2W Reflector | 240 | 1,260 |
| 95225 | Slotlight Trimless Module 30 2x2W Reflector | 320 | 1,680 |
| 95226 | Slotlight Trimless Module 30 3x2W Reflector | 400 | 2,100 |




LED COLOUR CODES:
2 Warm 3 Neutral

BEAM CODES:
01 spot 02 medium 03 wide

Colour Codes:
0 Colours 1 White 2 Titan 3 Black

SLOTLIGHT TRIMLESS ACCESSORIES



| | | | |
|----|--|--|--|
| CE | | | |
| | | | |
| | | | |

- Metal suspension bracket.
- Required 1pc per 1m profile length.

| Code | Description | Kg |
|--------|---------------------------------------|-------|
| 900510 | Suspension Bracket Slotlight Trimless | 0,270 |