


	+ Accessory	Page		+ Accessory	Page
3F LINDA		236	BETA A3F 93		243
	+ Accessory	Page			Page
3F LINDA TRANSPARENT		236	BETA i3F & A3F - RECUPERATORS		244
	+ Accessory	Page		+ Accessory	Page
3F LINDA INOX		237	MARKET		245
		Page			Page
3F LINDA COMPACT EMERGENCY ..		237	CIRCLIGHT CL		246
		Page			Page
3F LINDA		238	SQUARELIGHT SQL		246
		Page			Page
3F LINDA - RECUPERATORS		238-239	BETA		246
	+ Accessory	Page		+ Accessory	Page
BETA i3F 75		241	3F CUB		247
	+ Accessory	Page		+ Accessory	Page
BETA i3F 76		241	3F CUB COM		247
	+ Accessory	Page			
BETA A3F 90		242			
	+ Accessory	Page			
BETA A3F 91		242			
	+ Accessory	Page			
BETA A3F 92		243			



OSRAM: T8
PHILIPS: TL-D

OSRAM: T5
PHILIPS: TL5

TC-S OSRAM: DULUX S
PHILIPS: PL-S

TC-SEL OSRAM: DULUX S/E
PHILIPS: PL-S/4P


3F LINDA



Self extinguishing V2 polycarbonate housing
Snap-lock clips in polycarbonate.

PRICE LIST

DESCRIPTION	COLOUR	Conventional ballast and capacitor		Electronic Ballast	
		CODE	PRICE	CODE	PRICE
3F Linda 1x18W T26	Grey	511012		511013	
3F Linda 1x36W T26	Grey	511112		511113	
3F Linda 1x58W T26	Grey	511152		511153	
3F Linda 2x18W T26	Grey	511022		511023	
3F Linda 2x36W T26	Grey	511122		511123	
3F Linda 2x58W T26	Grey	511162		511163	
Single lamp luminaire 160mm wide					
3F Linda 1x18W T26 LA	Grey				
3F Linda 1x36W T26 LA	Grey				
3F Linda 1x58W T26 LA	Grey				
3F Linda 1x11W LA TC-S / TC-SEL	Grey				
3F Linda 1x14W T16	Grey			511173	
3F Linda 1x24W T16	Grey			511273	
3F Linda 1x28W T16	Grey			511233	
3F Linda 1x54W T16	Grey			511353	
3F Linda 1x35W T16	Grey			511253	
3F Linda 1x49W T16	Grey			511333	
3F Linda 1x80W T16	Grey			511393	
3F Linda 2x14W T16	Grey			511183	
3F Linda 2x24W T16	Grey			511283	
3F Linda 2x28W T16	Grey			511243	
3F Linda 2x35W T16	Grey			511263	
3F Linda 2x49W T16	Grey			511343	
3F Linda 2x54W T16	Grey			511363	
3F Linda Compact					
3F Linda 1x11W TC-S / TC-SEL	Grey	511772		511773	
3F Linda 2x11W TC-S / TC-SEL	Grey	511782		511783	



OSRAM: T8
PHILIPS: TL-D

OSRAM: T5
PHILIPS: TL5

TC-S OSRAM: DULUX S
PHILIPS: PL-S

TC-SEL OSRAM: DULUX S/E
PHILIPS: PL-S/4P


3F LINDA TRANSPARENT



Symmetric diffused direct/indirect distribution.
Self extinguishing V2 polycarbonate housing.
Snap-lock clips in stainless steel.

PRICE LIST


DESCRIPTION	COLOUR	Conventional ballast and capacitor		Electronic Ballast	
		CODE	PRICE	CODE	PRICE
3F Linda Transparent 1x18W T26	Grey	513012		513013	
3F Linda Transparent 1x36W T26	Grey	513112		513113	
3F Linda Transparent 1x58W T26	Grey	513152		513153	
3F Linda Transparent 2x36W T26	Grey	513122		513123	
3F Linda Transparent 2x58W T26	Grey	513162		513163	
3F Linda Transparent 1x14W T16	Grey			513173	
3F Linda Transparent 1x28W T16	Grey			513233	
3F Linda Transparent 1x49W T16	Grey			513333	
3F Linda Transparent 2x28W T16	Grey			513243	
3F Linda Transparent 2x49W T16	Grey			513343	
3F Linda Compact					
3F Linda Transparent 1x11W TC-S / TC-SEL	Grey	513772			
3F Linda Transparent 2x11W TC-S / TC-SEL	Grey	513782			



- OSRAM: T8
- PHILIPS: TL-D
- OSRAM: T5
- PHILIPS: TL5


Self extinguishing V2 polycarbonate housing.
Snap-lock clips in stainless steel.

3F LINDA INOX



PRICE LIST


DESCRIPTION	COLOUR	Conventional ballast and capacitor		Electronic Ballast	
		CODE	PRICE	CODE	PRICE
3F Linda Inox 1x18W T26	Grey	512012		512013	
3F Linda Inox 1x36W T26	Grey	512112		512113	
3F Linda Inox 1x58W T26	Grey	512152		512153	
3F Linda Inox 2x18W T26	Grey	512022		512023	
3F Linda Inox 2x36W T26	Grey	512122		512123	
3F Linda Inox 2x58W T26	Grey	512162		512163	
Single lamp luminaire 160mm wide					
3F Linda Inox 1x18W T26 LA	Grey				
3F Linda Inox 1x36W T26 LA	Grey				
3F Linda Inox 1x58W T26 LA	Grey				
	Grey				
3F Linda Inox 1x14W T16	Grey			512173	
3F Linda Inox 1x24W T16	Grey			512273	
3F Linda Inox 1x28W T16	Grey			512233	
3F Linda Inox 1x54W T16	Grey			512353	
3F Linda Inox 1x35W T16	Grey			512253	
3F Linda Inox 1x49W T16	Grey			512333	
3F Linda Inox 1x80W T16	Grey			512393	
3F Linda Inox 2x14W T16	Grey			512183	
3F Linda Inox 2x24W T16	Grey			512283	
3F Linda Inox 2x28W T16	Grey			512243	
3F Linda Inox 2x35W T16	Grey			512263	
3F Linda Inox 2x49W T16	Grey			512343	
3F Linda Inox 2x54W T16	Grey			512363	



- OSRAM: DULUX S
- PHILIPS: PL-S

Wiring for emergency lighting.

3F LINDA COMPACT EMERGENCY
(Non-maintained operation)



PRICE LIST

DESCRIPTION	COLOUR	Conventional ballast and capacitor		Electronic Ballast	
		CODE	PRICE	CODE	PRICE
3F LINDA 1x11W ENP TC-S	Grey			3F5257	
3F LINDA 1+1x11W ENP TC-S	Grey			3F5259	

		<p>P1 P2 P3</p> <p>Pictogram signs for fitting to the diffusers of emergency units 160mm wide. Pictogram, 135mm high, 240mm long for 11W, 605mm long for 18W. Pictograms complying with European standards D.Lgs 493/96, concerning health and safety signals on the workplace.</p>	<p>3F LINDA (PICTOGRAMS FOR WARNING SIGNS)</p>
			P R I C E L I S T
CODE	DESCRIPTION	COLOUR	
501901	P1 26CSG for lum.11W wide 160mm		
501904	26MTH for lum.18W wide 160mm		
501902	P2 26DVI for lum.11W wide 160mm		
501905	26MVL for lum.18W wide 160mm		
501903	P3 26GZM for lum.11W wide 160mm		
501906	26PXN for lum.18W wide 160mm		

		<p>Parabolic flow recuperator for wide direct distribution, for luminaires 160mm wide</p>	<p>3F LINDA - RECUPERATORS</p>
			P R I C E L I S T
CODE	DESCRIPTION	COLOUR	
501201	16CLE for lum. 2x18W T26		
501202	16MRA for lum. 2x36W T26		
501203	16GPA for lum. 2x58W T26		
501222	16PSG for lum. 2x14W T16		
501223	16RTA for lum. 2x28W T16		
501224	16BMT for lum. 2x35/49W T16		

		<p>Parabolic flow recuperator for super-wide distribution, for luminaires 160mm wide</p>	<p>3F LINDA - RECUPERATORS</p>
			P R I C E L I S T
CODE	DESCRIPTION	COLOUR	
501204	16HZD for lum. 2x18W T26		
501205	16NBH for lum. 2x36W T26		
501206	16PCL for lum. 2x58W T26		
501231	16ALN for lum. 2x14W T16		
501232	16FGP for lum. 2x28W T16		
501233	16VBC for lum. 2x35/49W T16		


		<p>Parabolic flow recuperator for concentrated direct distribution, for luminaires 160mm wide.</p>	<p>3F LINDA - RECUPERATORS</p>
			P R I C E L I S T
CODE	DESCRIPTION	COLOUR	
501207	16DRI for lum. 2x18W T26		
501208	16REC for lum. 2x36W T26		
501209	16LZC for lum. 2x58W T26		
501234	16CZA for lum. 2x14W T16		
501229	16TLS for lum. 2x28W T16		
501230	16GHR for lum. 2x35/49W T16		


		Parabolic flow recuperator for concentrated direct distribution , for luminaires 160mm wide	3F LINDA - RECUPERATORS
			P R I C E L I S T
CODE	DESCRIPTION	COLOUR	
501210	16EFG for lum. 1x18W T26		
501211	16QST for lum. 1x36W T26		
501212	16ATB for lum. 1x58W T26		


		Flow recuperator for concentrated direct distribution , for luminaires 100mm wide.	3F LINDA - RECUPERATORS
			P R I C E L I S T
CODE	DESCRIPTION	COLOUR	
501213	16SNN for lum. 1x18W T26		
501214	16THO for lum. 1x36W T26		
501215	16UIP for lum. 1x58W T26		
501235	16ZRB for lum. 1x14W T16		
501236	16UCL for lum. 1x28/54W T16		
501237	16EDW for lum. 1x35/49/80W T16		


		Parabolic flow recuperator for asymmetric direct distribution , for luminaires 160mm wide.	3F LINDA - RECUPERATORS
			P R I C E L I S T
CODE	DESCRIPTION	COLOUR	
501216	16FAS for lum. 1x18W T26		
501217	16GDM for lum. 1x36W T26		
501218	16BZF for lum. 1x58W T26		


		Flow recuperator for asymmetric direct distribution , for luminaires 100mm wide.	3F LINDA - RECUPERATORS
			P R I C E L I S T
CODE	DESCRIPTION	COLOUR	
501219	16VMR for lum. 1x18W T26		
501220	16ZOQ for lum. 1x36W T26		
501221	16XGS for lum. 1x58W T26		
501238	16KXH for lum. 1x14W T16		
501239	16NQE for lum. 1x28/54W T16		
501240	16WAZ for lum. 1x35/49/80W T16		


	<p>Suspension installation with hooks or chains, 3F Linda 18-36-58 T26, 14-28-35-49-54-80 T16. Pair of stainless steel springs, for quick installation.</p>	<p>3F LINDA - ACCESSORIES SUSPENSION</p>
	PRICE LIST	
CODE	DESCRIPTION	COLOUR
501307	0484 13ELB	

	<p>Suspension 3F Linda T26 & 3F Linda T16, quick connection hook in stainless steel</p>	<p>3F LINDA - ACCESSORIES SUSPENSION</p>
	PRICE LIST	
CODE	DESCRIPTION	
501305	13GSI for lum.11W TC-S / TC-SEL	
501306	13TRM for lum.18-36-58W T26 & 14-28-35-49-54-80W T16	


	<p>Pair of brackets and hooks in stainless steel, with nuts and bolts for fixing to 3F Linda, for ceiling or wall-mounting, single and twin-lamp luminaires. Minimum tilt angle = 45°.</p>	<p>3F LINDA - ACCESSORIES PAIR OF BRACKETS AND HOOKS</p>
	PRICE LIST	
CODE	DESCRIPTION	
501301	15GZI for lum.11W TC-S / TC-SEL	
501302	15RIT for lum.18-36-58W T26 & 14-28-35-49-54-80W T16	

	<p>Pair of brackets and hooks in stainless steel, with nuts and bolts for fixing to 3F Linda, for wall-mounting, single and twin-lamp luminaires.</p>	<p>3F LINDA - ACCESSORIES PAIR OF BRACKETS AND HOOKS</p>
	PRICE LIST	
CODE	DESCRIPTION	
501303	15MBI for lum.11W TC-S / TC-SEL	
501304	15FBR for lum.18-36-58W T26 & 14-28-35-49-54-80W T16	

	<p>Wire-guard for applications in dry environments, against shocks coming from any directions, in galvanized steel rod \varnothing5mm.</p>	<p>3F LINDA - ACCESSORIES WIRE-GUARD</p>
	PRICE LIST	
CODE	DESCRIPTION	DIMENSIONS
201302	12 AZ (for lum.36W T26, 28/54W T16)	180 x 1320 x 130
201301	12 BX (for lum.36W T26, 28/54W T16)	280 x 1330 x 130
201303	12 IA (for lum.58W T26, 35/49/80W T16)	180 x 1630 x 130
201304	12 LB (for lum.58W T26, 35/49/80W T16)	280 x 1630 x 130



polycarbonate 135 * * 18W, h=140




OSRAM: T8
PHILIPS: TL-D

OSRAM: T5
PHILIPS: TL5


Single-piece **housing** in pressed steel, powder coated in white epoxy-polyester.
Diffuser in self-extinguishing V2 polycarbonate.

BETA i3F 75




PRICE LIST

DESCRIPTION	COLOUR	Conventional ballast and capacitor		Electronic Ballast	
		CODE	PRICE	CODE	PRICE
i3F 751x18W T26	White	531012		531013	
i3F 751x36W T26	White	531112		531113	
i3F 751x58W T26	White	531152		531153	
i3F 752x18W T26	White	531022		531023	
i3F 752x36W T26	White	531122		531123	
i3F 752x58W T26	White	531162		531163	
i3F 751x28W T16	White			531233	
i3F 751x35W T16	White			531253	
i3F 751x49W T16	White			531333	
i3F 751x54W T16	White			531353	
i3F 751x80W T16	White			531393	
i3F 752x28W T16	White			531243	
i3F 752x35W T16	White			531263	
i3F 752x49W T16	White			531343	
i3F 752x54W T16	White			531363	
i3F 752x80W T16	White			531403	



glass 105 ** ** 18W, h=110




OSRAM: T8
PHILIPS: TL-D

OSRAM: T5
PHILIPS: TL5


Single-piece **housing** in pressed steel, powder coated in white epoxy-polyester.
Transparent, non-combustible tempered **glass**.

BETA i3F 76



PRICE LIST

DESCRIPTION	COLOUR	Conventional ballast and capacitor		Electronic Ballast	
		CODE	PRICE	CODE	PRICE
i3F 761x18W T26	White	532012		532013	
i3F 761x36W T26	White	532112		532113	
i3F 761x58W T26	White	532152		532153	
i3F 762x18W T26	White	532022		532023	
i3F 762x36W T26	White	532122		532123	
i3F 762x58W T26	White	532162		532163	
i3F 761x28W T16	White			532233	
i3F 761x35W T16	White			532253	
i3F 761x49W T16	White			532333	
i3F 761x54W T16	White			532353	
i3F 761x80W T16	White			532393	
i3F 762x28W T16	White			532243	
i3F 762x35W T16	White			532263	
i3F 762x49W T16	White			532343	
i3F 762x54W T16	White			532363	
i3F 762x80W T16	White			532403	



- OSRAM: T8
- PHILIPS: TL-D
- OSRAM: T5
- PHILIPS: TL5


Single-piece **housing** in pressed aluminium, powder coated in white epoxy-polyester.
Diffuser in self-extinguishing V2 polycarbonate.

BETA A3F 90



PRICE LIST

DESCRIPTION	COLOUR	Conventional ballast and capacitor		Electronic Ballast	
		CODE	PRICE	CODE	PRICE
A3F 901x18W T26	White	521012		521013	
A3F 901x36W T26	White	521112		521113	
A3F 901x58W T26	White	521152		521153	
A3F 902x18W T26	White	521022		521023	
A3F 902x36W T26	White	521122		521123	
A3F 902x58W T26	White	521162		521163	
A3F 901x28W T16	White			521233	
A3F 901x35W T16	White			521253	
A3F 901x49W T16	White			521333	
A3F 901x54W T16	White			521353	
A3F 901x80W T16	White			521393	
A3F 902x28W T16	White			521243	
A3F 902x35W T16	White			521263	
A3F 902x49W T16	White			521343	
A3F 902x54W T16	White			521363	
A3F 902x80W T16	White			521403	



- OSRAM: T8
- PHILIPS: TL-D
- OSRAM: T5
- PHILIPS: TL5


Single-piece **housing** in pressed aluminium, powder coated in white epoxy-polyester.
Transparent, non-combustible tempered **glass**.

BETA A3F 91



PRICE LIST

DESCRIPTION	COLOUR	Conventional ballast and capacitor		Electronic Ballast	
		CODE	PRICE	CODE	PRICE
A3F 911x18W T26	White	522012		522013	
A3F 911x36W T26	White	522112		522113	
A3F 911x58W T26	White	522152		522153	
A3F 912x18W T26	White	522022		522023	
A3F 912x36W T26	White	522122		522123	
A3F 912x58W T26	White	522162		522163	
A3F 911x28W T16	White			522233	
A3F 911x35W T16	White			522253	
A3F 911x49W T16	White			522333	
A3F 911x54W T16	White			522353	
A3F 911x80W T16	White			522393	
A3F 912x28W T16	White			522243	
A3F 912x35W T16	White			522263	
A3F 912x49W T16	White			522343	
A3F 912x54W T16	White			522363	
A3F 912x80W T16	White			522403	




OSRAM: T8
PHILIPS: TL-D

Single-piece **housing** in pressed stainless steel.
Diffuser in self-extinguishing V2 polycarbonate.

BETA A3F 92

PRICE LIST

DESCRIPTION	COLOUR	Conventional ballast and capacitor		Electronic Ballast	
		CODE	PRICE	CODE	PRICE
A3F 921x18W T26	Inox	523012		523013	
A3F 921x36W T26	Inox	523112		523113	
A3F 921x58W T26	Inox	523152		523153	
A3F 922x18W T26	Inox	523022		523023	
A3F 922x36W T26	Inox	523122		523123	
A3F 922x58W T26	Inox	523162		523163	
A3F 921x28W T16	Inox			523233	
A3F 921x35W T16	Inox			523253	
A3F 921x49W T16	Inox			523333	
A3F 921x54W T16	Inox			523353	
A3F 921x80W T16	Inox			523393	
A3F 922x28W T16	Inox			523243	
A3F 922x35W T16	Inox			523263	
A3F 922x49W T16	Inox			523343	
A3F 922x54W T16	Inox			523363	
A3F 922x80W T16	Inox			523403	





OSRAM: T8
PHILIPS: TL-D



Single-piece **housing** in pressed stainless steel.
Transparent, non-combustible tempered **glass**.



BETA A3F 93


PRICE LIST


DESCRIPTION	COLOUR	Conventional ballast and capacitor		Electronic Ballast	
		CODE	PRICE	CODE	PRICE
A3F 931x18W T26	Inox	524012		524013	
A3F 931x36W T26	Inox	524112		524113	
A3F 931x58W T26	Inox	524152		524153	
A3F 932x18W T26	Inox	524022		524023	
A3F 932x36W T26	Inox	524122		524123	
A3F 932x58W T26	Inox	524162		524163	
A3F 931x28W T16	Inox			524233	
A3F 931x35W T16	Inox			524253	
A3F 931x49W T16	Inox			524333	
A3F 931x54W T16	Inox			524353	
A3F 931x80W T16	Inox			524393	
A3F 932x28W T16	Inox			524243	
A3F 932x35W T16	Inox			524263	
A3F 932x49W T16	Inox			524343	
A3F 932x54W T16	Inox			524363	
A3F 932x80W T16	Inox			524403	


				<p>Wide distribution 1x....and 2x.... Parabolic flow recuperator for wide distribution, in specular aluminium. Applications in environments from 3 to 7m high.</p>	<p>BETA i3F & A3F - RECUPERATORS</p>
				PRICE LIST	
CODE	DESCRIPTION	COLOUR			
502201	Recup. AMPIO for lum.1-2x36W				
502202	Recup. AMPIO for lum.1-2x58W				
502203	Recup. AMPIO for lum.1-2x49/80W				


				<p>Concentrated distribution 2x.... Parabolic flow recuperator for concentrated distribution in specular aluminium. Applications in environments from 5 to 10m high.</p>	<p>BETA i3F & A3F - RECUPERATORS</p>
				PRICE LIST	
CODE	DESCRIPTION	COLOUR			
502204	Recup. CONC. for lum.2x36W				
502205	Recup. CONC. for lum.2x58W				
502206	Recup. CONC. for lum.2x80W				

				<p>Concentrated distribution 1x.... Flow recuperator for super-concentrated distribution, in specular aluminium. Applications in store aisles or for localized lighting.</p>	<p>BETA i3F & A3F - RECUPERATORS</p>
				PRICE LIST	
CODE	DESCRIPTION	COLOUR			
502207	Recup. CONC. for lum.1x36W				
502208	Recup. CONC. for lum.1x58W				
502209	Recup. CONC. for lum.1x80W				

		<p>Pair of hooks for suspended installation with nuts and bolts for luminaire fastening.</p>	<p>BETA i3F - A3F ACCESSORIES PAIR OF HOOKS</p>
			PRICE LIST
CODE	DESCRIPTION		
502304	13DH (galvanized steel) for i3F		
502301	13HC (stainless steel) for A3F		

		<p>Pair of mounting brackets and hooks for wall mounting with nuts and bolts for luminaire fastening, everything in stainless steel.</p>	<p>BETA i3F - A3F ACCESSORIES PAIR OF MOUNTING BRACKETS</p>
			PRICE LIST
CODE	DESCRIPTION		
502303	15CD for A3F		

		<p>Wire-guard for applications in dry environments, against shocks coming from any directions, in galvanized steel rod Ø5mm.</p>	<p>BETA i3F - A3F ACCESSORIES WIRE-GUARD</p>
			PRICE LIST
CODE	DESCRIPTION	DIMENSIONS	
201301	12 BX (for lum.36W T26, 28/54W T16)	280 x 1330 x 130	
201304	12 LB (for lum.58W T26, 35/49/80W T16)	280 x 1630 x 130	



- OSRAM: T8
- PHILIPS: TL-D
- OSRAM: T5
- PHILIPS: TL5

Body and lid from fiberglass reinforced polyester.

MARKET



PRICE LIST

DESCRIPTION	DIMENSIONS	COLOUR	Conventional ballast and capacitor		Electronic Ballast	
			CODE	PRICE	CODE	PRICE
481x18W T26	65 646 124	Grey	541012		541013	
481x36W T26	65 1257 124	Grey	541112		541113	
481x58W T26	65 1557 124	Grey	541152		541153	
482x18W T26	126 646 124	Grey	541022		541023	
482x36W T26	126 1257 124	Grey	541122		541123	
482x58W T26	126 1557 124	Grey	541162		541163	
481x28W T16	66 1227 126	Grey			541233	
481x54W T16	66 1227 126	Grey			541353	
481x35W T16	66 1527 126	Grey			541253	
481x49W T16	66 1527 126	Grey			541333	
481x80W T16	66 1527 126	Grey			541393	
482x28W T16	126 1227 126	Grey			541243	
482x54W T16	126 1227 126	Grey			541363	
482x35W T16	126 1527 126	Grey			541263	
482x49W T16	126 1527 126	Grey			541343	



Parabolic reflector in steel sheet white stove-enameled.

MARKET - ACCESSORIES

WHITE REFLECTOR

PRICE LIST

CODE	DESCRIPTION
504101	14ΣΜΑ for lum.1x36W
504102	16ΣΜΑ for lum.1x58W
504103	18ΣΜΑ for lum.1x28/54W T16
504104	20ΣΜΑ for lum.1x35/49/80W T16
504105	24ΣΜΑ for lum.2x36W
504106	26ΣΜΑ for lum.2x58W
504107	28ΣΜΑ for lum.2x28/54W T16
504108	30ΣΜΑ for lum.2x35/49/80W T16




Transparent protection tube made of polycarbonate with adaption ring.






MARKET - ACCESSORIES

TRANSPARENT PROTECTION TUBE

PRICE LIST


CODE	DESCRIPTION
504201	TUB018 for lamp 18W
504202	TUB036 for lamp 36W
504203	TUB058 for lamp 58W
504204	TUB028 for lamps 28/54W
504205	TUB035 for lamps 35/49/80W




<p> OSRAM: DULUX S PHILIPS: PL-S</p> <p> OSRAM: DULUX L PHILIPS: PL-L</p> <p> OSRAM: T5 FC PHILIPS: TL5-C</p>	<p> OSRAM: DULUX S/E PHILIPS: PL-S/4P</p> <p> OSRAM: T9 PHILIPS: TL-E</p>
--	---






Polycarbonate **body** in white colour.
Diffuser in opal methacrylate.

CIRCLIGHT CL




							PRICE LIST			
DESCRIPTION	DIMENSIONS	COLOUR	Conventional ballast and capacitor		Electronic Ballast					
			CODE	PRICE	CODE	PRICE				
CL 260 1x9W TC-S / G23 IP 54	260 55	White	561752		561753					
CL 260 2x9W TC-S / G23 IP 54	260 55	White	561762		561763					
CL 360 2x11W TC-S / G23 or TC-SEL / 2G7 IP 65	360 83	White	562782		562783					
CL 360 2x18W TC-L / 2G11 IP 65	360 83	White	562642		562643					
CL 360 1x32W T-R / G10Q IP 65	360 83	White	562582							
CL 360 1x40W T16-R / 2GX13 IP 65	360 83	White			562553					
CL 360 1x55W T16-R / 2GX13 IP 65	360 83	White			562513					




<p> OSRAM: DULUX S PHILIPS: PL-S</p> <p> OSRAM: DULUX L PHILIPS: PL-L</p> <p> OSRAM: T5 FC PHILIPS: TL5-C</p>	<p> OSRAM: DULUX S/E PHILIPS: PL-S/4P</p> <p> OSRAM: T9 PHILIPS: TL-E</p>
--	---


Polycarbonate **body** in white colour.
Diffuser in opal methacrylate.


SQUARELIGHT SQL



							PRICE LIST			
DESCRIPTION	DIMENSIONS	COLOUR	Conventional ballast and capacitor		Electronic Ballast					
			CODE	PRICE	CODE	PRICE				
SQL 200 1x9W TC-S / G23 IP 54	200 200 58	White	571752							
SQL 200 2x9W TC-S / G23 IP 54	200 200 58	White	571762							
SQL 300 2x11W TC-S / G23 or TC-SEL / 2G7 IP 65	300 300 83	White	572782		572783					
SQL 300 2x18W TC-L / 2G11 IP 65	300 300 83	White	572642		572643					
SQL 300 1x22W T-R / G10Q or T16-R / 2GX13 IP 65	300 300 83	White	572572		572573					







 OSRAM: DULUX S
PHILIPS: PL-S


Polycarbonate **body** in white colour (B) or black colour (N).
Clear polycarbonate **diffuser**, prismatic inside.

BETA



							PRICE LIST			
DESCRIPTION	DIMENSIONS	COLOUR	Conventional Ballast		Electronic Ballast					
			CODE	PRICE	CODE	PRICE				
0116.108B 1x11W TC-S / G23		White	542771							
0116.108N 1x11W TC-S / G23		Black	542772							






OSRAM: DULUX L
PHILIPS: PL-L


Housing in pressed aluminium.
Flow **recuperator** in specular aluminium non-iridescent.


IP43: without glass
IP64: transparent tempered glass

3F CUB



CODE			DESCRIPTION			COLOUR			PRICE LIST			
									Electronic Ballast & Lamps			
3F 5600	IP 43	Wide flow recuperator										
		3F CUB R90 4x55 TC-L / 2G11 5600				White						
3F 5601		3F CUB R90 6x55 TC-L / 2G11 5601				White						
3F 5606	IP 64	Concentrated flow recuperator										
		3F CUB R90 4x55 CONC TC-L / 2G11 5606				White						
3F 5610		3F CUB 4x55 VT IP64 TC-L / 2G11 5610				White						
3F 5612	960°C	Concentrated flow recuperator										
		3F CUB 4x55 CONC VT IP64 TC-L / 2G11 5612				White						






OSRAM: DULUX L
PHILIPS: PL-L


Housing in pressed aluminium.
COM parabolic **louvre** in specular aluminium non-iridescent, with white painted transverse blades closed at the top.


IP43: without glass
IP64: transparent tempered glass

3F CUB COM



CODE			DESCRIPTION			COLOUR			PRICE LIST			
									Electronic Ballast & Lamps			
3F 45500	IP 43	3F CUB 4x55 CR COM TC-L / 2G11 45500				White						
3F 45505	IP 64 960°C	3F CUB 4x55 CR COM VT IP64 TC-L / 2G11 45505				White						







ceiling mounted bracket

Ceiling-mounted bracket in hot-galvanized steel, spaces the 3F Cub from the ceiling by 60mm.
Code **0213**

3F CUB & 3F CUB COM - ACCESSORIES
CEILING-MOUNTED BRACKET

CODE			DESCRIPTION			PRICE LIST		
3F 0213	CEILING-MOUNTED BRACKET		0213					





Wire-guard for applications in dry environments, against shocks coming from any directions, in galvanized steel rod Ø5mm. Code **0210**. To install it, ceiling-mounted bracket code 0213 is always necessary.

3F CUB & 3F CUB COM - ACCESSORIES
WIRE-GUARD

CODE			DESCRIPTION			PRICE LIST		
3F 0210	WIRE-GUARD		0210					

