

OSRAM: T8
PHILIPS: TL-D

OSRAM: T5
PHILIPS: TL5

364 PSP IP54
(SURFACE MOUNTED LUMINAIRES)

CE F IP 54

PRICE LIST

DESCRIPTION	COLOUR	Conventional ballast and capacitor		Electronic ballast	
		CODE	PRICE	CODE	PRICE
PSP 364x18W T26 IP54	White	593042		593043	
PSP 364x36W T26 IP54	White	593142		593143	
PSP 364x14W T16 IP54	White			593203	
PSP 364x24W T16 IP54	White			593303	
PSP 364x54W T16 IP54	White			593383	

OSRAM: T8
PHILIPS: TL-D


OSRAM: T5
PHILIPS: TL5


364 PSPO IP54
(SURFACE MOUNTED LUMINAIRES)

CE F IP 54

PRICE LIST

DESCRIPTION	COLOUR	Conventional ballast and capacitor		Electronic ballast	
		CODE - PSP	CODE - PSPO	CODE - PSP	CODE - PSPO
PSPO 364x18W T26 IP54	White	596042		596043	
PSPO 364x36W T26 IP54	White	596142		596143	
PSPO 364x14W T16 IP54	White			596203	
PSPO 364x24W T16 IP54	White			596303	
PSPO 364x54W T16 IP54	White			596383	





OSRAM: T5
PHILIPS: TL5

OSRAM: T8
PHILIPS: TL-D

LSV
(SURFACE MOUNTED LUMINAIRES)


IP 54 CE F


960°C 6,5J

- Flow recuperator from anodized specular aluminium.
- Mistlite protection glass, anti-glare, tempered, locked to the white painted aluminium perimetrical frame with sealing gasket.

PRICE LIST

DESCRIPTION	DIMENSIONS	COLOUR	Conventional ballast and capacitor		Electronic ballast	
			CODE	PRICE	CODE	PRICE
LSV 221x36W T26 IP54	170 x 1230 x 90	White	270112		270113	
LSV 221x58W T26 IP54	170 x 1530 x 90	White	270152		270153	
LSV 222x36W T26 IP54	295 x 1230 x 90	White	270122		270123	
LSV 222x58W T26 IP54	295 x 1530 x 90	White	270162		270163	
LSV 223x36W T26 IP54	430 x 1230 x 90	White	270132		270133	
LSV 364x18W T26 IP54	618 x 618 x 90	White	270042		270043	
LSV 222x28W T16 IP54	295 x 1230 x 90	White			270243	
LSV 222x54W T16 IP54	295 x 1230 x 90	White			270363	
LSV 364x14W T16 IP54	618 x 618 x 90	White			270203	
LSV 364x24W T16 IP54	618 x 618 x 90	White			270303	





OSRAM: T8
PHILIPS: TL-D

OSRAM: T9
PHILIPS: TL-E

ZERO 3F
(SURFACE MOUNTED LUMINAIRES)

CE

675°C IP 40

Diffuser in methacrylate, injection moulded, multilenticular, anti-glare.

PRICE LIST

DESCRIPTION	DIMENSIONS	COLOUR	Conventional ballast and capacitor		Electronic ballast	
			CODE	PRICE	CODE	PRICE
O3F 1x18W T26	110 x 640 x 85	White	213012		213013	
O3F 1x36W T26	110 x 1250 x 85	White	213112		213113	
O3F 1x58W T26	110 x 1550 x 85	White	213152		213153	
O3F 2x18W T26	210 x 640 x 68	White	213022		213023	
O3F 2x36W T26	210 x 1250 x 68	White	213122		213123	
O3F 2x58W T26	210 x 1550 x 68	White	213162		213163	
O3F 4x18W T26	640 x 640 x 68	White	213042		213043	
O3F 1x22W T-R	350 x 350 x 68	White	213572		213573	
O3F 1x32W T-R	350 x 350 x 68	White	213582		213583	
O3F 1x40W T-R	450 x 450 x 68	White	213592		213593	
O3F 2x32W+40W T-R	450 x 450 x 68	White	213602		213603	

OSRAM: T8
PHILIPS: TL-D

Diffuser in methacrylate, injection moulded, multilenticular, anti-glare.

ZERO 3F IP54
(SURFACE MOUNTED LUMINAIRES)

850°C

IP 54

6,5J

				PRICE LIST			
DESCRIPTION	DIMENSIONS	COLOUR	Conventional ballast and capacitor		Electronic ballast		
			CODE	PRICE	CODE	PRICE	
03F 1x18W T26 IP54	110 x 640 x 85	White	551012		551013		
03F 1x36W T26 IP54	110 x 1250 x 85	White	551112		551113		
03F 1x58W T26 IP54	110 x 1550 x 85	White	551152		551153		
03F 2x18W T26 IP54	210 x 640 x 68	White	551022		551023		
03F 2x36W T26 IP54	210 x 1250 x 68	White	551122		551123		
03F 2x58W T26 IP54	210 x 1550 x 68	White	551162		551163		
03F 4x18W T26 IP54	640 x 640 x 68	White	551042		551043		

OSRAM: T8
PHILIPS: TL-D

OSRAM: T9
PHILIPS: TL-E

Diffuser in opal methacrylate.

UNO
(SURFACE MOUNTED LUMINAIRES)

IP 40

650°C

CE

				PRICE LIST			
DESCRIPTION	DIMENSIONS	COLOUR	Conventional ballast and capacitor		Electronic ballast		
			CODE	PRICE	CODE	PRICE	
UNO 162x18W T26	210 x 640 x 68	White	211022		211023		
UNO 162x36W T26	210 x 1250 x 68	White	211122		211123		
UNO 164x18W T26	640 x 640 x 68	White	211042		211043		
UNO 161x22W T-R	350 x 350 x 68	White	211572		211573		
UNO 161x32W T-R	350 x 350 x 68	White	211582		211583		
UNO 161x40W T-R	450 x 450 x 68	White	211592		211593		
UNO 162x32W+40W T-R	450 x 450 x 68	White	211602		211603		

Wire-guard for applications in dry environments, against shocks coming from any directions, in galvanized steel rod Ø5mm.

SURFACE MOUNTED LUMINAIRES ACCESSORY

			PRICE LIST	
CODE	DESCRIPTION	DIMENSIONS		
201302	12 AZ (for lum. 36W T26, 28/54W T16)	180 x 1320 x 130		
201301	12 BX (for lum. 36W T26, 28/54W T16)	280 x 1330 x 130		
201303	12 IA (for lum. 58W T26, 35/49/80W T16)	180 x 1630 x 130		
201304	12 LB (for lum. 58W T26, 35/49/80W T16)	280 x 1630 x 130		