














 OSRAM: DULUX T / E PHILIPS: PL-T / 4P	LEO 120 Beam 75° (WALL LIGHTING)
					<ul style="list-style-type: none"> • Die-cast aluminium body. • Refractive clear glass
PRICE LIST					
CODE	DESCRIPTION			COLOUR	
850541	LEO 120 - 1341F	beam 75°	1x13W TC-TEL / GX24q-1	White	
850543	LEO 120 - 1346F	beam 75°	1x13W TC-TEL / GX24q-1	Anthracite	
850542	LEO 120 - 1347F	beam 75°	1x13W TC-TEL / GX24q-1	Grey	

				 OSRAM: HCI-T PHILIPS: CDM-T	LEO 160 Beam 4° (WALL LIGHTING)
					<ul style="list-style-type: none"> • Die-cast aluminium body. • Refractive clear glass
PRICE LIST					
CODE	DESCRIPTION			COLOUR	
850701	LEO 160 - 3511E	beam 4°	1x35W HIT-CE / G12	White	
850703	LEO 160 - 3516E	beam 4°	1x35W HIT-CE / G12	Anthracite	
850702	LEO 160 - 3517E	beam 4°	1x35W HIT-CE / G12	Grey	

				 OSRAM: HCI-T PHILIPS: CDM-T	LEO 160 Beam 35° (WALL LIGHTING)
					<ul style="list-style-type: none"> • Die-cast aluminium body. • Refractive clear glass
PRICE LIST					
CODE	DESCRIPTION			COLOUR	
850711	LEO 160 - 3511B	beam 35°	1x35W HIT-CE / G12	White	
850713	LEO 160 - 3516B	beam 35°	1x35W HIT-CE / G12	Anthracite	
850712	LEO 160 - 3517B	beam 35°	1x35W HIT-CE / G12	Grey	

				 OSRAM: HCI-T PHILIPS: CDM-T	LEO 160 Beam 75° (WALL LIGHTING)
					<ul style="list-style-type: none"> • Die-cast aluminium body. • Refractive clear glass
PRICE LIST					
CODE	DESCRIPTION			COLOUR	
850721	LEO 160 - 3511F	beam 75°	1x35W HIT-CE / G12	White	
850723	LEO 160 - 3516F	beam 75°	1x35W HIT-CE / G12	Anthracite	
850722	LEO 160 - 3517F	beam 75°	1x35W HIT-CE / G12	Grey	



To ensure the degree of protection use only suitable flexible cables like the class H07RN-F or similar.

				OSRAM: HCI-T PHILIPS: CDM-T	LEO 160 Beam 4° / 4° (WALL LIGHTING)
					• Die-cast aluminium body. • Refractive clear glass

PRICE LIST				
CODE	DESCRIPTION	COLOUR		
850731	LEO 160 - 3521E beam 4° / 4° 1x35W HIT-CE / G12	White		
850733	LEO 160 - 3526E beam 4° / 4° 1x35W HIT-CE / G12	Anthracite		
850732	LEO 160 - 3527E beam 4° / 4° 1x35W HIT-CE / G12	Grey		

				OSRAM: HCI-T PHILIPS: CDM-T	LEO 160 Beam 35° / 35° (WALL LIGHTING)
					• Die-cast aluminium body. • Refractive clear glass

PRICE LIST				
CODE	DESCRIPTION	COLOUR		
850741	LEO 160 - 3521B beam 35° / 35° 1x35W HIT-CE / G12	White		
850743	LEO 160 - 3526B beam 35° / 35° 1x35W HIT-CE / G12	Anthracite		
850742	LEO 160 - 3527B beam 35° / 35° 1x35W HIT-CE / G12	Grey		

				OSRAM: HCI-T PHILIPS: CDM-T	LEO 160 Beam 4° / 75° (WALL LIGHTING)
					• Die-cast aluminium body. • Refractive clear glass




PRICE LIST				
CODE	DESCRIPTION	COLOUR		
850751	LEO 160 - 3501EF beam 4° / 75° 1x35W HIT-CE / G12	White		
850753	LEO 160 - 3506EF beam 4° / 75° 1x35W HIT-CE / G12	Anthracite		
850752	LEO 160 - 3507EF beam 4° / 75° 1x35W HIT-CE / G12	Grey		




				OSRAM: HCI-T PHILIPS: CDM-T	LEO 160 Beam 75° / 75° (WALL LIGHTING)
					• Die-cast aluminium body. • Refractive clear glass




PRICE LIST				
CODE	DESCRIPTION	COLOUR		
850761	LEO 160 - 3521F beam 75° / 75° 1x35W HIT-CE / G12	White		
850763	LEO 160 - 3526F beam 75° / 75° 1x35W HIT-CE / G12	Anthracite		
850762	LEO 160 - 3527F beam 75° / 75° 1x35W HIT-CE / G12	Grey		



To ensure the degree of protection use only suitable flexible cables like the class H07RN-F or similar.

		 OSRAM: HCI-T PHILIPS: CDM-T	LEO 160 Beam 4° (WALL LIGHTING)
			• Die-cast aluminium body. • Refractive clear glass
PRICE LIST			
CODE	DESCRIPTION	COLOUR	
850771	LEO 160 - 3541E beam 4° 1x35W HIT-CE / G12	White	
850773	LEO 160 - 3546E beam 4° 1x35W HIT-CE / G12	Anthracite	
850772	LEO 160 - 3547E beam 4° 1x35W HIT-CE / G12	Grey	

		 OSRAM: HCI-T PHILIPS: CDM-T	LEO 160 Beam 35° (WALL LIGHTING)
			• Die-cast aluminium body. • Refractive clear glass
PRICE LIST			
CODE	DESCRIPTION	COLOUR	
850781	LEO 160 - 3541B beam 35° 1x35W HIT-CE / G12	White	
850783	LEO 160 - 3546B beam 35° 1x35W HIT-CE / G12	Anthracite	
850782	LEO 160 - 3547B beam 35° 1x35W HIT-CE / G12	Grey	

		 OSRAM: HCI-T PHILIPS: CDM-T	LEO 160 Beam 75° (WALL LIGHTING)
			• Die-cast aluminium body. • Refractive clear glass
PRICE LIST			
CODE	DESCRIPTION	COLOUR	
850791	LEO 160 - 3541F beam 75° 1x35W HIT-CE / G12	White	
850793	LEO 160 - 3546F beam 75° 1x35W HIT-CE / G12	Anthracite	
850792	LEO 160 - 3547F beam 75° 1x35W HIT-CE / G12	Grey	



To ensure the degree of protection use only suitable flexible cables like the class H07RN-F or similar.